

# SAFETY DATA SHEET

## HAVANA (TYPE) FRAGRANCE OIL

Date Printed 11/21/2022

Regulation OSHA HCS 2012, 29 CFR 1910.120

### SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: Havana (Type) Fragrance Oil

IndiMade Brands, LLC DBA The Flaming Candle  
71 Southern Court  
Hiram, GA 30141  
(770) 505-4999  
www.TheFlamingCandle.com

Emergency Phone: (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
+1 813 248-0585 International

Product Use: Fragrance  
Not recommended for: Ingestion

### SECTION II - HAZARDS IDENTIFICATION

CAR2 Carcinogenicity 2  
EDI2 Serious eye damage / eye irritation 2  
FL4 Flammable Liquids 4  
REP1B Reproductive toxicity 1B  
SS1 Sensitisation skin 1

H227 - Combustible liquid  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H351 - Suspected of causing cancer.  
H360 - May damage fertility or the unborn child.

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P281 - Use personal protective equipment as required.  
P302+P352 - IF ON SKIN: Wash with plenty of water  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - IF exposed or concerned: Get medical advice/attention.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.

**Danger**



P501 - Dispose of contents/container to an approved waste disposal plant

## SECTION III - INGREDIENT AND HAZARD INFORMATION

Material	C.A.S	EINECS	GHS Classification	Percent %
BENZYL BENZOATE	120-51-4		ATD5, ATO4, EHA1, EHC2 ; H302	[ 42-44 ]
LYRAL (HYDROXY-METHYLPENTYLCYCLOHEXENEC ARBOXALDEHYDE)	31906-04-4		EHA3, SS1A ; H317	[ 14-16 ]
CINNAMAL	104-55-2		ATD4, ATO5, EDI2, EHA2, EHC3, SCI2, SS1A ; H312, H315, H317, H319	[ 2-4 ]
BENZYL SALICYLATE	118-58-1		ATO5, EDI2, EHA2, EHC3, SS1B ; H317, H320	[ 2-4 ]
PENTYL SALICYLATE	2050-08-0		ATO4, EHA1, EHC1 ; H302	[ 2-4 ]
LINALOOL	78-70-6		ATO5, EDI2, EHA3, FL4, SCI2, SS1B ; H227, H315, H317, H319	[ 2-4 ]
METHYL CEDRYL KETONE	32388-55-9		ATO5, EHA1, EHC1, SS1B ; H317	[ 2-4 ]
2-Methylbutyl salicylate	51115-63-0		ATO4, EHA2, EHC2 ; H302	[ 2-4 ]
VANILLIN	121-33-5		ATO5, EDI2, EHA3 ; H319	[ 0-2 ]
COUMARIN	91-64-5		ATO4, EHA3, SS1B ; H302, H317	[ 0-2 ]
LINALYL ACETATE	115-95-7		EDI2, EHA3, FL4, SCI2, SS1B ; H227, H315+H320, H317	[ 0-2 ]
SALICYLIC ACID, ISOPENTYL ESTER	87-20-7		ATO4, EHA2, EHC2 ; H302	[ 0-2 ]
HYDROXYCITRONELLAL	107-75-5		EDI2, EHA3, SS1B ; H317, H319	[ 0-2 ]
MUSK KETONE	81-14-1		CAR2, EHA1, EHC1 ; H351	[ 0-2 ]
HEXYL CINNAMAL	101-86-0		ATO5, EHA1, EHC2, SCI3, SS1B ; H317	[ 0-2 ]
PHENYL ETHYL ALCOHOL	60-12-8		ATD5, ATO4, EDI2, SCI3 ; H302, H319	[ 0-2 ]
LILIAL (2-(4-TERT-BUTYLBENZYL)PROPRIONALDEH YDE)	80-54-6		ATO4, EHA2, EHC3, FL4, REP1B, SCI2, SS1B ; H227, H302, H315, H317, H360	[ 0-2 ]
GERANYLACETAT-	105-87-3		EHA2, EHC3, SCI2, SS1B ; H315, H317	[ 0-2 ]
CITRONELLOL	106-22-9		ATD5, ATO5, EDI2, EHA2, SCI2, SS1B ; H315, H317, H319	[ 0-2 ]
GERANIOL	106-24-1		ATO5, EDI1, EHA3, SCI2, SS1 ; H315, H317, H318	[ 0-2 ]
NERYL ACETATE	141-12-8		EHA2, EHC3, SCI2, SS1B ; H315, H317	[ 0-2 ]
CINNAMYL ALCOHOL	104-54-1		ATO4, EHA2, SCI3, SS1B ; H302, H317	[ 0-2 ]
NEROL-	106-25-2		ATO5, EDI2, EHA2, SCI2, SS1B ; H315, H317, H319	[ 0-2 ]
CYASORB UV-531	1843-05-6		EHA3, EHC3, SS1B ; H317	[ 0-2 ]
D-LIMONENE	5989-27-5		AH1, EHA1, EHC3, FL3, SCI2, SS1B ; H226, H304, H315, H317	[ 0-2 ]
EUGENOL	97-53-0		ATO5, EDI2, EHA2, SCI3, SS1B ; H317, H319	[ 0-2 ]
CITRONELLYL FORMATE	105-85-1		EHA2, FL4, SCI2, SS1B ; H227, H315, H317	[ 0-2 ]

ALDEHYDE C-16	77-83-8	EHA2, EHC2, SS1B ; H317	[ 0-2 ]
---------------	---------	-------------------------	---------

#### SECTION IV - FIRST AID MEASURES

##### **INHALATION**

In case of excessive inhalation, remove the person to fresh air.

Obtain medical advice immediately.

##### **EYE CONTACT**

Flush immediately with water for at least 15 minutes.

If any sign of tissue damage or persistent irritation is apparent, obtain medical advice.

##### **SKIN CONTACT**

Remove contaminated clothing.

Wash affected area thoroughly with soap and water.

Get medical attention if irritation develops or persists.

##### **INGESTION**

Rinse mouth with water. Give up to ½ liter of milk or water to drink.

Do not induce vomiting.

Obtain medical advice immediately.

#### SECTION V - FIRE-FIGHTING MEASURES

##### **EXTINGUISHING MEDIA**

( ) Water, (X) Foam, (X) Dry Chemical, (X) Carbon Dioxide.

##### **FIRE FIGHTING INSTRUCTIONS**

Spray extinguishing media directly into base of flames.

Water is not suitable for use on burning material, but may be used to cool containers exposed to heat .

Exercise caution when fighting any chemical fire.

Treat as chemical fire, emits toxic fumes under fire condition .

#### SECTION VI - ACCIDENTAL RELEASE MEASURES

##### **SPILL & LEAK PROCEDURES**

Remove all sources of ignition. Provide proper ventilation.

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Dispose of in accordance with local regulations.

Wash area with soap and water.

#### SECTION VII - HANDLING AND STORAGE

Not meant for consumption, may be harmful if swallowed.

Avoid skin contact.

Handle in accordance with good occupational hygiene and safety practices in well ventilated areas.

##### **STORAGE**

Keep containers tight and upright to prevent leakage.

Keep containers closed when not in use.

Do Not Store Over 140°F (60°C).

Keep from freezing. If frozen when received allow to reach room temperature and mix well before using:

#### SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

**VENTILATION:** Use local exhaust ventilation meeting ACGIH design criteria.

**PERSONAL PROTECTIVE EQUIPMENT**

Oil or chemical resistant gloves.

Splash-resistant safety glasses.

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	NIOSH Exposure Limits
BENZYLACETATE 140-11-4		10 ppm TWA	

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Clear

Color: Pale Yellow to Yellow

Odor: Characteristic

Physical State: Liquid

Vapor Density: Not Available

Vapor pressure : 0.01 mmHg @20°C

VOC : 0.942496 % (CARB Method 310)

Evaporation Rate: Not Available

Crystals (w/w%): 7.02

Specific Gravity @25°C: 1.05 - 1.07

Refractive Index @25°C: Not available

Flash point (°C): 101

Flash point (°F): 214

**SECTION X - STABILITY AND REACTIVITY**

This product is stable in most media.

**CONDITIONS TO AVOID**

Avoid heat, sparks and flame.

Avoid strong oxidizing agents.

Avoid accidental discharge to sewers and natural waters.

Hazardous polymerization will not occur.

**SECTION XI - TOXICOLOGICAL INFORMATION****Acute Toxicity Estimate**

LD50 Oral : 1651 mg/kg 27 % unknown

LD50 Dermal : Not available

LD50 Inhalation : Not available

**Routes of Entry :**

**Ingestion :** May be harmful if swallowed

**Skin Contact:** May cause skin irritation

**Eye Contact:** May cause eye irritation  
**Inhalation:** May cause respiratory tract irritation

**Target Organs:**  
**None**

**SECTION XII - ECOLOGICAL INFORMATION**

Prevent contamination of soil, ground and surface water.  
 No ecological studies have been carried out on this product.

**SECTION XIII - DISPOSAL CONSIDERATIONS**

Dispose of in accordance with State, Local and Federal Regulations.

**SECTION XIV - TRANSPORT INFORMATION**

Regulation	Proper Shipping Name	UN#	Hazard Class	Packing Group
DOT	Not regulated, Non Hazardous			
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS) (BENZYL BENZOATE)	3082	9	III
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERFUMERY PRODUCTS) (BENZYL BENZOATE)	3082	9	III



**SECTION XV - REGULATORY INFORMATION**

**TSCA:** We certify that all components of this product are registered or exempt under regulations of the Toxic Substances Control Act.

**SARA 313:** This proprietary mixture contains the following controlled chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Parts 372:

93-15-2 METHYL EUGENOL 0.0036 %

**SECTION XVI - OTHER INFORMATION**

The information in this SDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.

**Hazardous Material Information System (HMIS)**

<b>HEALTH</b>		<b>1</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>
<b>PERSONAL PROTECTION</b>		<b>B</b>

**HMS & NFPA Hazard Rating**

**Legend**

\* = Chronic Health Hazard

0 = INSIGNIFICANT

1 = SLIGHT

2 = MODERATE

3 = HIGH